

## DYNAMIC GLASS REFERENCES

Alibaba.com. (n.d.). High Quality 3mm 4mm 5mm 6mm 8mm 10mm 12mm 15mm 19mm Tempered Glass Price Per Square Meter - Buy Tempered Glass, Glass Price Per Square Meter,6mm Tempered Glass Price Product on Alibaba.com. Retrieved December 13, 2018, from //www.alibaba.com/product-detail/High-Quality-3mm-4mm-5mm-6mm\_60512655551.html

Apte, J., & Arasteh, D. (2006). *Window-Related Energy Consumption in the US Residential and Commercial Building Stock* (No. LBNL--60146, 928762). <https://doi.org/10.2172/928762>

Arasteh, D., Selkowitz, S., Apte, J., & LaFrance, M. (2006). Zero Energy Windows, 16.

Architecture 2030. (2014). *Roadmap to Zero Emissions*. Santa Fe, New Mexico: The American Institute of Architects (AIA). Retrieved from <https://unfccc.int/resource/docs/2014/smsn/ngo/418.pdf>

Arctic Glass Outlet. (n.d.). Retrieved December 13, 2018, from <https://kissourglass.com/>

Aste, N., Compostella, J., & Mazzon, M. (2012). Comparative energy and economic performance analysis of an electrochromic window and automated external venetian blind. *Energy Procedia*, 30, 404–413. <https://doi.org/10.1016/j.egypro.2012.11.048>

BCC Research. (2009, February). Smart Glass: Technologies and Global Markets. Retrieved December 13, 2018, from <https://www.bccresearch.com/market-research/advanced-materials/smart-glass-technologies-avm065a.html>

BCC Research. (2015, June). Global Markets and Technologies for Smart Glass. Retrieved December 13, 2018, from <https://www.bccresearch.com/market-research/advanced-materials/smart-glass-technologies-global-markets-report-avm065c.html>

BCC Research. (2018, June). Global Markets and Technologies for Smart Glass. Retrieved December 13, 2018, from <https://www.bccresearch.com/market-research/advanced-materials/global-markets-and-technologies-for-smart-glass-avm065d.html>

Belzer, D. B. (2010). *An Exploratory Energy Analysis of Electrochromic Windows in Small and Medium Office Buildings - Simulated Results Using EnergyPlus* (No. PNNL-19637, 1025691). <https://doi.org/10.2172/1025691>

Casini, M. (2015). Smart windows for energy efficiency of buildings. *International Journal of Civil and Structural Engineering*, 2(1), 10.

Casini, M. (2018). Active dynamic windows for buildings: A review. *Renewable Energy*, 119, 923–934. <https://doi.org/10.1016/j.renene.2017.12.049>

Chow, T., Li, C., & Lin, Z. (2010). Innovative solar windows for cooling-demand climate. *Solar Energy Materials and Solar Cells*, 94(2), 212–220.  
<https://doi.org/10.1016/j.solmat.2009.09.004>

Christie Glass - Prices. (n.d.). Retrieved December 13, 2018, from  
<http://www.christieglass.com/pricecalculator.php>

Coleman, E. (2018). *Climate-based comparative lifecycle assessment of glazing assemblies for glass curtain walls in commercial office buildings*. University of Colorado Boulder.

Cuce, E., & Riffat, S. B. (2015). A state-of-the-art review on innovative glazing technologies. *Renewable and Sustainable Energy Reviews*, 41, 695–714.  
<https://doi.org/10.1016/j.rser.2014.08.084>

Deb, S. K., Lee, S.-H., Edwin Tracy, C., Roland Pitts, J., Gregg, B. A., & Branz, H. M. (2001). Stand-alone photovoltaic-powered electrochromic smart window. *Electrochimica Acta*, 46(13–14), 2125–2130. [https://doi.org/10.1016/S0013-4686\(01\)00390-5](https://doi.org/10.1016/S0013-4686(01)00390-5)

DeForest, N., Shehabi, A., Garcia, G., Greenblatt, J., Masanet, E., Lee, E. S., ... Milliron, D. J. (2013). Regional performance targets for transparent near-infrared switching electrochromic window glazings. *Building and Environment*, 61, 160–168.  
<https://doi.org/10.1016/j.buildenv.2012.12.004>

DeForest, N., Shehabi, A., O'Donnell, J., Garcia, G., Greenblatt, J., Lee, E. S., ... Milliron, D. J. (2015). United States energy and CO<sub>2</sub> savings potential from deployment of near-infrared electrochromic window glazings. *Building and Environment*, 89, 107–117.  
<https://doi.org/10.1016/j.buildenv.2015.02.021>

DeForest, N., Shehabi, A., Selkowitz, S., & Milliron, D. J. (2017). A comparative energy analysis of three electrochromic glazing technologies in commercial and residential buildings. *Applied Energy*, 192, 95–109. <https://doi.org/10.1016/j.apenergy.2017.02.007>

Deru, M., Field, K., Studer, D., Benne, K., Griffith, B., Torcellini, P., ... Crawley, D. (2011). *U.S. Department of Energy Commercial Reference Building Models of the National Building Stock* (No. NREL/TP-5500-46861, 1009264). <https://doi.org/10.2172/1009264>

DigiTimes. (2014). DigiTimes archive & research. Retrieved December 13, 2018, from  
<http://www.digitimes.com/news/a20131231PR201.html>

Dussault, J.-M., Gosselin, L., & Galstian, T. (2012). Integration of smart windows into building design for reduction of yearly overall energy consumption and peak loads. *Solar Energy*, 86(11), 3405–3416. <https://doi.org/10.1016/j.solener.2012.07.016>

E3T. (n.d.). Electrochromic Windows. Retrieved December 13, 2018, from  
<http://e3tnw.org/ItemDetail.aspx?id=262>

Energy Information Administration (EIA)- Commercial Buildings Energy Consumption Survey (CBECS) Data. (2003). Retrieved February 26, 2019, from  
<https://www.eia.gov/consumption/commercial/data/2003/index.php?view=consumption>

Favoino, F., Overend, M., & Jin, Q. (2015). The optimal thermo-optical properties and energy saving potential of adaptive glazing technologies. *Applied Energy*, 156, 1–15.  
<https://doi.org/10.1016/j.apenergy.2015.05.065>

Fazel, A., Izadi, A., & Azizi, M. (2016). Low-cost solar thermal based adaptive window: Combination of energy-saving and self-adjustment in buildings. *Solar Energy*, 133, 274–282.  
<https://doi.org/10.1016/j.solener.2016.04.008>

Fernandes, L.L., Lee, E. S., & Ward, G. (2013). Lighting energy savings potential of split-pane electrochromic windows controlled for daylighting with visual comfort. *Energy and Buildings*, 61, 8–20. <https://doi.org/10.1016/j.enbuild.2012.10.057>

Fernandes, Luis L., Lee, E. S., & Thanachareonkit, A. (2015). *Electrochromic Window Demonstration at the Donna Land Port of Entry* (No. LBNL--1001788, 1237336).  
<https://doi.org/10.2172/1237336>

Garcia, G. (2015). Low Cost Near Infrared Selective Plasmonic Smart Windows, 20.

Georg, A., Graf, W., Neumann, R., & Wittwer, V. (2000). Stability of gasochromic WO<sub>3</sub> films. *Solar Energy Materials*, 12.

Ghosh, A., & Norton, B. (2018). Advances in switchable and highly insulating autonomous (self-powered) glazing systems for adaptive low energy buildings. *Renewable Energy*, 126, 1003–1031. <https://doi.org/10.1016/j.renene.2018.04.038>

Grand View Research. (2018, February). Smart Glass Market Share By Technology | Global Industry Report, 2025. Retrieved December 13, 2018, from  
<https://www.grandviewresearch.com/industry-analysis/smart-glass-market>

Gustavsen, A., Jelle, B. P., Arasteh, D., & Kohler, C. (2007). *State-of-the-Art Highly Insulating Window Frames - Research and Market Review* (No. LBNL-1133E, 941673).  
<https://doi.org/10.2172/941673>

Hernandez, P. (2011, October 11). Smart glass costs set to drop. Retrieved December 13, 2018, from <https://www.ecoinsite.com/2011/10/cheaper-smart-windows.html>

IEA. (2013). *Transition to sustainable buildings: strategies and opportunities to 2050*. Paris: International Energy Agency. Retrieved from [http://www.iea.org/publications/freepublications/publication/Building2013\\_free.pdf](http://www.iea.org/publications/freepublications/publication/Building2013_free.pdf)

IEA. (2016). *Energy Technology Perspectives 2016*. Paris, France: International Energy Agency. Retrieved from <http://www.iea.org/etp/etp2016/>

International Energy Agency. (2017). *Energy Technology Perspectives 2017* (p. 443).

Jelle, B. P., Hynd, A., Gustavsen, A., Arasteh, D., Goudey, H., & Hart, R. (2012). Fenestration of today and tomorrow: A state-of-the-art review and future research opportunities. *Solar Energy Materials and Solar Cells*, 96, 1–28. <https://doi.org/10.1016/j.solmat.2011.08.010>

Josh P. (2014, June 18). Switchable Smart Glass from Quality Smart Glass | Smart Glass, Switchable Glass. Retrieved December 13, 2018, from <https://www.glassappsource.com/smartglass/switchable-smart-glass-quality-smart-glass.html>

Lacey, S. (2013). Will Smart Glass Ever Be More Than a Boutique Product? | Greentech Media. Retrieved December 13, 2018, from <https://www.greentechmedia.com/articles/read/Will-Smart-Glass-Ever-Be-More-Than-a-Boutique-Product#gs.=WqjHgk>

Lampert, C. (1994). Towards large-area photovoltaic nanocells: experiences learned from smart window technology. *Solar Energy Materials and Solar Cells*, 32(3), 307–321. [https://doi.org/10.1016/0927-0248\(94\)90266-6](https://doi.org/10.1016/0927-0248(94)90266-6)

Lampert, C. (1998). Smart switchable glazing for solar energy and daylight control. *Solar Energy Materials and Solar Cells*, 52(3–4), 207–221. [https://doi.org/10.1016/S0927-0248\(97\)00279-1](https://doi.org/10.1016/S0927-0248(97)00279-1)

Lee, E S, & DiBartolomeo, D. L. (2002). Application issues for large-area electrochromic windows in commercial buildings, 27.

Lee, E., & Selkowitz, S. (2009). *High Performance Building Façade Solutions - PIER Final Project Report* (p. 132).

Lee, E., Yazdanian, M., & Selkowitz, S. (2004). *The energy-savings potential of electrochromic windows in the UScommercial buildings sector* (No. LBNL--54966, 891618). <https://doi.org/10.2172/891618>

Lee, Eleanor S., Fernandes, L. L., Goudey, C. H., Jonsson, C. J., Curcija, D. C., Pang, X., ... Hoffmann, S. (2013). *A Pilot Demonstration of Electrochromic and Thermochromic Windows in the Denver Federal Center, Building 41, Denver, Colorado* (No. LBNL--1005095, 1249497). <https://doi.org/10.2172/1249497>

Lee, Eleanor S., Selkowitz, S. E., Clear, R. D., DiBartolomeo, D. L., Klems, J. H., Fernandes, L. L., ... Yazdanian, M. (2006). *Advancement of Electrochromic Windows* (No. LBNL--59821). US: Ernest Orlando Lawrence Berkeley National Laboratory, Berkeley, CA (US).  
<https://doi.org/10.2172/899732>

Lee, E.S., & Tavil, A. (2007). Energy and visual comfort performance of electrochromic windows with overhangs. *Building and Environment*, 42(6), 2439–2449.  
<https://doi.org/10.1016/j.buildenv.2006.04.016>

Marks, D. (n.d.). Powerful Solutions: A New View of Window Efficiency. Retrieved December 13, 2018, from  
<http://members.questline.com/Article.aspx?articleID=27155&accountID=2618&nI=15303>

McCoy, A. P., Koebel, C. T., Sanderford, A. R., Franck, C. T., & Keefe, M. J. (2000). Adoption of High-Performance Housing Technologies Among U.S. Homebuilding Firms, 2000 Through 2010, 22.

Navigant Pike Research. (2014). Demand for smart glass will surpass 3 million square meters annually by 2020. Retrieved from  
<https://www.navigantresearch.com/newsroom/demand-for-smart-glass-will-surpass-3-million-square-meters-annually-by-2020>

Office of Energy Efficiency & Renewable Energy. (2013). Low-Cost Nanostructured Smart Window Coatings | Department of Energy. Retrieved December 13, 2018, from  
<https://www.energy.gov/eere/buildings/downloads/low-cost-nanostructured-smart-window-coatings>

Oh, M., Roh, S., Jang, M., & Park, J. (2018). Evaluation of heating and cooling load according to applying electrochromic glass to office building envelope in South Korea, 12.

Papaefthimiou, S., Syrrakou, E., & Yianoulis, P. (2006). Energy performance assessment of an electrochromic window. *Thin Solid Films*, 502(1–2), 257–264.  
<https://doi.org/10.1016/j.tsf.2005.07.294>

Pittaluga, M. (2015). Electrochromic glazing and walls for reducing building cooling needs. In *Eco-Efficient Materials for Mitigating Building Cooling Needs* (pp. 473–497). Elsevier.  
<https://doi.org/10.1016/B978-1-78242-380-5.00017-0>

Rezaei, S. D., Shannighrahi, S., & Ramakrishna, S. (2017). A review of conventional, advanced, and smart glazing technologies and materials for improving indoor environment. *Solar Energy Materials and Solar Cells*, 159, 26–51. <https://doi.org/10.1016/j.solmat.2016.08.026>

SageGlass. (n.d.). Sage Dynamic Glass. Retrieved December 13, 2018, from  
<https://www.sageglass.com/en>

Sbar, N. L., Podbelski, L., Yang, H. M., & Pease, B. (2012). Electrochromic dynamic windows for office buildings. *International Journal of Sustainable Built Environment*, 1(1), 125–139.  
<https://doi.org/10.1016/j.ijsbe.2012.09.001>

Schlömer, S. (2014). *Annex III: Technology-specific cost and performance parameters*. (Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change). Retrieved from [https://www.ipcc.ch/pdf/assessment-report/ar5/wg3/ipcc\\_wg3\\_ar5\\_annex-iii.pdf](https://www.ipcc.ch/pdf/assessment-report/ar5/wg3/ipcc_wg3_ar5_annex-iii.pdf)

SF Chronicle. (2017, February 20). Bay Area's Kinestral, View see clear future in smart windows - SFChronicle.com. Retrieved November 30, 2018, from <https://www.sfchronicle.com/business/article/Bay-Area-s-Kinestral-View-see-clear-future-in-10943421.php>

Spivak, J. (2016, March 7). Smart Glass out of the Shadows. Retrieved December 13, 2018, from <https://urbanland.ulic.org/industry-sectors/infrastructure-transit/smart-glass-shadows/>

Switch Glass. (n.d.). Switch Glass 2018. Retrieved November 30, 2018, from <https://www.switchglass.com.au/application/residential/>

Tavares, P., Bernardo, H., Gaspar, A., & Martins, A. (2016). Control criteria of electrochromic glasses for energy savings in mediterranean buildings refurbishment. *Solar Energy*, 134, 236–250. <https://doi.org/10.1016/j.solener.2016.04.022>

Tinianov, B. (2017). *Demonstration Program for Low-Cost, High-Energy-Saving Dynamic Windows* (No. EW-201252).

Tweeney, D. (2013, August 19). Heliotrope to commercialize light- and heat-blocking “smart glass.” Retrieved December 13, 2018, from <https://venturebeat.com/2013/08/19/heliotrope-smart-glass/>

Urge-Vorsatz, D., Eyre, N., Graham, P., Harvey, D., Hertwich, E., Jiang, Y., ... McMahon, J. E. (2015). Energy End-Use: Buildings. Retrieved from [http://foix21.iiasa.ac.at/web/home/research/Flagship-Projects/Global-Energy-Assessment/GEA\\_CChapter10\\_buildings\\_lowres.pdf](http://foix21.iiasa.ac.at/web/home/research/Flagship-Projects/Global-Energy-Assessment/GEA_CChapter10_buildings_lowres.pdf)

U.S. Department of Energy. (2016). Commercial Buildings Energy Consumption Survey (CBECS) Data-Energy Information Administration (EIA). Retrieved November 27, 2018, from <https://www.eia.gov/consumption/commercial/data/2012/index.php?view=characteristics#b1-b2>

Verre feuilleté. (n.d.). Retrieved December 13, 2018, from <https://verresurmesures.com/prix-verre-feuilleté-de-securité-floatglass/>

VG Smart Glass. (2016). BG SmartGlass Business Plan Q1 2016. Retrieved from [https://www.sec.gov/Archives/edgar/data/1677843/000167784316000002/Business\\_Plan.pdf](https://www.sec.gov/Archives/edgar/data/1677843/000167784316000002/Business_Plan.pdf)

Vlew Dynamic Glass. (n.d.). View Dynamic Glass. Retrieved November 30, 2018, from <https://view.com>

Wang, U. (2010, August 13). Making Smart Windows that Are Also Cheap. Retrieved December 13, 2018, from <https://www.technologyreview.com/s/420221/making-smart-windows-that-are-also-cheap/>

Weiss, M., Junginger, M., Patel, M. K., & Blok, K. (2010). A review of experience curve analyses for energy demand technologies. *Technological Forecasting and Social Change*, 77(3), 411–428. <https://doi.org/10.1016/j.techfore.2009.10.009>

Windows for High-performance Commercial Buildings. (n.d.). Retrieved November 26, 2018, from <https://www.commercialwindows.org/reflective.php>

WorldGBC. (2016). Advancing Net Zero. Retrieved November 22, 2016, from <http://www.worldgbc.org/index.php/activities/net-zero/>