

HIGH-PERFORMANCE GLASS REFERENCES

- 20 Year Durability Study. (n.d.). Retrieved March 6, 2019, from <https://www.renewalbyandersen.com/signature-service/20-year-durability-study>
- Al-Ragom, F. (2003). Retrofitting residential buildings in hot and arid climates. *Energy Conversion and Management*, 44(14), 2309–2319. [https://doi.org/10.1016/S0196-8904\(02\)00256-X](https://doi.org/10.1016/S0196-8904(02)00256-X)
- Apte, J., & Arasteh, D. (2006). *Window-Related Energy Consumption in the US Residential and Commercial Building Stock* (No. LBNL--60146, 928762). <https://doi.org/10.2172/928762>
- Apte, J., Arasteh, D., & Huang, Y. J. (2003). Future Advanced Windows for Zero-Energy Homes, 12.
- Arasteh, D., Selkowitz, S., Apte, J., & LaFrance, M. (2006). Zero Energy Windows, 16.
- Architecture 2030. (2014). *Roadmap to Zero Emissions*. Santa Fe, New Mexico: The American Institute of Architects (AIA). Retrieved from <https://unfccc.int/resource/docs/2014/smsn/ngo/418.pdf>
- Asif, M., Davidson, A., Muneer, T., & MlmechE, Ce. (n.d.). Life Cycle of Window Materials - A Comparative Assessment, 13.
- Aste, N., & Del Pero, C. (2013). Energy retrofit of commercial buildings: case study and applied methodology. *Energy Efficiency*, 6(2), 407–423. <https://doi.org/10.1007/s12053-012-9168-4>
- Balaras, C. A., Gaglia, A. G., Georgopoulou, E., Mirasgedis, S., Sarafidis, Y., & Lalas, D. P. (2007). European residential buildings and empirical assessment of the Hellenic building stock, energy consumption, emissions and potential energy savings. *Building and Environment*, 42(3), 1298–1314. <https://doi.org/10.1016/j.buildenv.2005.11.001>
- Batih, H., & Sorapipatana, C. (2016). Characteristics of urban households' electrical energy consumption in Indonesia and its saving potentials. *Renewable and Sustainable Energy Reviews*, 57, 1160–1173. <https://doi.org/10.1016/j.rser.2015.12.132>
- Brown, J. (2012, February 18). A window on the new modernity. Retrieved March 5, 2019, from <https://www.domain.com.au/news/a-window-on-the-new-modernity-20120217-1tcha/>

Chow, T., Li, C., & Lin, Z. (2010). Innovative solar windows for cooling-demand climate. *Solar Energy Materials and Solar Cells*, 94(2), 212–220. <https://doi.org/10.1016/j.solmat.2009.09.004>

Chunekar, A., Varshney, S., & Dixit, S. (2016). *Residential Electricity Consumption in India*: (p. 60).

Ciulla, G., Galatioto, A., & Ricciu, R. (2016). Energy and economic analysis and feasibility of retrofit actions in Italian residential historical buildings. *Energy and Buildings*, 128, 649–659. <https://doi.org/10.1016/j.enbuild.2016.07.044>

Deru, M., Field, K., Studer, D., Benne, K., Griffith, B., Torcellini, P., ... Crawley, D. (2011). *U.S. Department of Energy Commercial Reference Building Models of the National Building Stock* (No. NREL/TP-5500-46861, 1009264). <https://doi.org/10.2172/1009264>

Dodge Data & Analytics. “World Green Building Trends 2018.” Dodge Data & Analytics, 2018. <https://www.worldgbc.org/sites/default/files/World%20Green%20Building%20Trends%202018%20SMR%20FINAL%2010-11.pdf>

East Africa Flat Glass Market Size - Industry Share Report 2018-2024. (n.d.). Retrieved March 12, 2019, from <https://www.gminsights.com/industry-analysis/east-africa-flat-glass-market>

EcoGlaze. (n.d.). FREE Retrofit Double Glazing Pricing Estimate. Retrieved March 5, 2019, from <http://www.ecoglaze.com.au/retrofit-double-glazing-pricing/>

El-Darwish, I., & Gomaa, M. (2017). Retrofitting strategy for building envelopes to achieve energy efficiency. *Alexandria Engineering Journal*, 56(4), 579–589. <https://doi.org/10.1016/j.aej.2017.05.011>

Evangelisti, L., Guattari, C., & Gori, P. (2015). Energy Retrofit Strategies for Residential Building Envelopes: An Italian Case Study of an Early-50s Building. *Sustainability*, 7(8), 10445–10460. <https://doi.org/10.3390/su70810445>

Fendelander, K. (2013, March 4). Replacement windows: how many years can they last? Retrieved March 5, 2019, from <http://www.improvementcenter.com/windows/replacement-windows-how-many-years-they-last.html>

Flat glass global market volume by application 2022 | Statista. (n.d.). Retrieved March 12, 2019, from <https://www.statista.com/statistics/697265/flat-glass-market-volume-worldwide-by-application/>

Ghisi, E., Gosch, S., & Lamberts, R. (2007). Electricity end-uses in the residential sector of Brazil. *Energy Policy*, 35(8), 4107–4120. <https://doi.org/10.1016/j.enpol.2007.02.020>

Goldman, C. (1988). Retrofit experience in U.S. multifamily buildings: Energy savings, costs, and economics. *Energy*, 13(11), 797–811. [https://doi.org/10.1016/0360-5442\(88\)90085-0](https://doi.org/10.1016/0360-5442(88)90085-0)

Gustavsen, A., Jelle, B. P., Arasteh, D., & Kohler, C. (2007). *State-of-the-Art Highly Insulating Window Frames - Research and Market Review* (No. LBNL-1133E, 941673). <https://doi.org/10.2172/941673>

Hee, W. J., Alghoul, M. A., Bakhtyar, B., Elayeb, O., Shameri, M. A., Alrubaih, M. S., & Sopian, K. (2015). The role of window glazing on daylighting and energy saving in buildings. *Renewable and Sustainable Energy Reviews*, 42, 323–343. <https://doi.org/10.1016/j.rser.2014.09.020>

Heeren, N., Jakob, M., Martius, G., Gross, N., & Wallbaum, H. (2013). A component based bottom-up building stock model for comprehensive environmental impact assessment and target control. *Renewable and Sustainable Energy Reviews*, 20, 45–56. <https://doi.org/10.1016/j.rser.2012.11.064>

Hu, S., Yan, D., Cui, Y., & Guo, S. (2016). Urban residential heating in hot summer and cold winter zones of China—Status, modeling, and scenarios to 2030. *Energy Policy*, 92, 158–170. <https://doi.org/10.1016/j.enpol.2016.01.032>

Huang, Y. J., Mitchell, R., Arasteh, D., & Selkowitz, S. (1999). *Residential fenestration performance analysis using RESFEN3.1* (No. LBNL--42871, 8692). <https://doi.org/10.2172/8692>

IEA. (2013). *Transition to sustainable buildings: strategies and opportunities to 2050*. Paris: International Energy Agency. Retrieved from http://www.iea.org/publications/freepublications/publication/Building2013_free.pdf

IEA. (2016). *Energy Technology Perspectives 2016*. Paris, France: International Energy Agency. Retrieved from <http://www.iea.org/etp/etp2016/>

Ihm, P., Park, L., Krarti, M., & Seo, D. (2012). Impact of window selection on the energy performance of residential buildings in South Korea. *Energy Policy*, 44, 1–9. <https://doi.org/10.1016/j.enpol.2011.08.046>

International Energy Agency. (2017). *Energy Technology Perspectives 2017* (p. 443).

Jelle, B. P., Hynd, A., Gustavsen, A., Arasteh, D., Goudey, H., & Hart, R. (2012). Fenestration of today and tomorrow: A state-of-the-art review and future research opportunities. *Solar Energy Materials and Solar Cells*, 96, 1–28. <https://doi.org/10.1016/j.solmat.2011.08.010>

Kneifel, J. (2012). *Prototype Residential Building Designs for Energy and Sustainability Assessment* (No. NIST TN 1765). Gaithersburg, MD: National Institute of Standards and Technology. <https://doi.org/10.6028/NIST.TN.1765>

Lee, E., & Selkowitz, S. (2009). *High Performance Building Façade Solutions - PIER Final Project Report* (p. 132).

Liu, Y., & Guo, W. (2013). Effects of energy conservation and emission reduction on energy efficiency retrofit for existing residence: A case from China. *Energy and Buildings*, *61*, 61–72. <https://doi.org/10.1016/j.enbuild.2013.01.033>

Ma, Z., Cooper, P., Daly, D., & Ledo, L. (2012). Existing building retrofits: Methodology and state-of-the-art. *Energy and Buildings*, *55*, 889–902. <https://doi.org/10.1016/j.enbuild.2012.08.018>

Menzies, G., & Wherrett, J. (2005). Multiglazed windows: potential for savings in energy, emissions and cost. *Building Services Engineering Research and Technology*, *26*(3), 249–258. <https://doi.org/10.1191/0143624405bt132tn>

Nie, H., & Kemp, R. (2014). Index decomposition analysis of residential energy consumption in China: 2002–2010. *Applied Energy*, *121*, 10–19. <https://doi.org/10.1016/j.apenergy.2014.01.070>

Nikoofard, S., Ismet Ugursal, V., & Beausoleil-Morrison, I. (2014). Technoeconomic assessment of the impact of window shading retrofits on the heating and cooling energy consumption and GHG emissions of the Canadian housing stock. *Energy and Buildings*, *69*, 354–366. <https://doi.org/10.1016/j.enbuild.2013.11.023>

Nyatsanza, K., & Davis, S. (2010). MODELLING THE IMPACT OF ENERGY EFFICIENCY INITIATIVES IN THE SOUTH AFRICAN RESIDENTIAL SECTOR, 6.

Onyenokporo, N. C., & Ochedi, E. T. (2018). Low-cost retrofit packages for residential buildings in hot-humid Lagos, Nigeria. *International Journal of Building Pathology and Adaptation*. <https://doi.org/10.1108/IJBPA-01-2018-0010>

Pikas, E., Thalfeldt, M., & Kurnitski, J. (2014). Cost optimal and nearly zero energy building solutions for office buildings. *Energy and Buildings*, *74*, 30–42. <https://doi.org/10.1016/j.enbuild.2014.01.039>

Plum, C., Brandstrom, G., Haglund, K., & Carmody, J. (2015). *Window Retrofit Technologies* (No. COMM-20130501-53155). Minneapolis, MN: Center for Energy and Environment. Retrieved from <https://www.mncee.org/getattachment/Resources/Projects/Window-Retrofits-Increasing-Window-Efficiency-Wit/Window-Retrofit-Technologies-Final-Report.pdf.aspx>

Polly, B., Gestwick, M., Bianchi, M., Anderson, R., Horowitz, S., Christensen, C., & Judkoff, R. (2011). *Method for Determining Optimal Residential Energy Efficiency Retrofit Packages* (No. NREL/TP-5500-50572, DOE/GO-102011-3261, 1015501). <https://doi.org/10.2172/1015501>

Radwan, A. F., Hanafy, A. A., Elhelw, M., & El-Sayed, A. E.-H. A. (2016). Retrofitting of existing buildings to achieve better energy-efficiency in commercial building case study: Hospital in Egypt. *Alexandria Engineering Journal*, 55(4), 3061–3071.

<https://doi.org/10.1016/j.aej.2016.08.005>

Rahman, M. M., Rasul, M. G., & Khan, M. M. K. (2010). Energy conservation measures in an institutional building in sub-tropical climate in Australia. *Applied Energy*, 87(10), 2994–3004.

<https://doi.org/10.1016/j.apenergy.2010.04.005>

Raji, B., Tenpierik, M. J., & van den Dobbelsteen, A. (2016). An assessment of energy-saving solutions for the envelope design of high-rise buildings in temperate climates: A case study in the Netherlands. *Energy and Buildings*, 124, 210–221.

<https://doi.org/10.1016/j.enbuild.2015.10.049>

Schlömer, S. “Annex III: Technology-Specific Cost and Performance Parameters.” Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change, 2014.

https://www.ipcc.ch/pdf/assessment-report/ar5/wg3/ipcc_wg3_ar5_annex-iii.pdf

Selkowitz, S. (2014, November). *Single Pane Windows: Dinosaurs in a Sustainable World?*

Presented at the ARPA-E. Retrieved from [https://arpa-](https://arpa-e.energy.gov/sites/default/files/03%20-%20Selkowitz%20-%20ARPA%20E_selk_final.pdf)

[e.energy.gov/sites/default/files/03%20-%20Selkowitz%20-%20ARPA%20E_selk_final.pdf](https://arpa-e.energy.gov/sites/default/files/03%20-%20Selkowitz%20-%20ARPA%20E_selk_final.pdf)

Selkowitz, S. E. (1999). High Performance Glazing Systems: Architectural Opportunities for the 21st Century, 12.

Selkowitz, S., Hart, R., & Curcija, C. (2018). Breaking the 20 Year Logjam to Better Insulating Windows. *ACEEE Summer Study on Energy Efficiency in Buildings*, 16.

Spalding-Fecher, R. (2003). POTENTIAL FOR ENERGY EFFICIENCY IMPROVEMENTS IN THE RESIDENTIAL AND COMMERCIAL SECTOR IN SOUTH AFRICA – AN OVERVIEW, 9.

This Old House. (2008, August 15). How Long Things Last. Retrieved March 5, 2019, from

<https://www.thisoldhouse.com/ideas/how-long-things-last>

Urge-Vorsatz, D., Eyre, N., Graham, P., Harvey, D., Hertwich, E., Jiang, Y., ... McMahon, J. E.

(2015). Energy End-Use: Buildings. Retrieved from

http://foix21.iiasa.ac.at/web/home/research/Flagship-Projects/Global-Energy-Assessment/GEA_CHapter10_buildings_lowres.pdf

U.S. Department of Energy. (2016). Commercial Buildings Energy Consumption Survey

(CBECS) Data-Energy Information Administration (EIA). Retrieved November 27, 2018, from

<https://www.eia.gov/consumption/commercial/data/2012/index.php?view=characteristics#b1-b2>

U.S. Department of Energy. (2017). Residential Energy Consumption Survey (RECS) - Energy Information Administration. Retrieved November 27, 2018, from <https://www.eia.gov/consumption/residential/>

Windows - Durability - Windows There are lot of variables to. (n.d.). Retrieved March 6, 2019, from <http://www.greenspec.co.uk/building-design/windows-durability/>

Windows for High-performance Commercial Buildings. (n.d.). Retrieved November 26, 2018, from <https://www.commercialwindows.org/reflective.php>

WorldGBC. (2016). Advancing Net Zero. Retrieved November 22, 2016, from <http://www.worldgbc.org/index.php/activities/net-zero/>

Yin, R., Xu, P., & Shen, P. (2012). Case study: Energy savings from solar window film in two commercial buildings in Shanghai. *Energy and Buildings*, 45, 132–140. <https://doi.org/10.1016/j.enbuild.2011.10.062>

Yu, S., Evans, M., & Shi, Q. (2014). *Analysis of the Chinese Market for Building Energy Efficiency* (No. PNNL--22761, 1126340). <https://doi.org/10.2172/1126340>